



MagnaPrint® Bond 40

Water-based adhesive for Foil/Flock Papers and Transfers

MagnaPrint® Bond 40 is a ready to use adhesive for use in the application of foil and Flock Papers on to textiles.

MagnaPrint® Bond 40 is a waterbased, PVC and Phthalate free adhesive giving excellent wash fastness.

MagnaPrint® Bond 40 applied with foil leaves a very soft handle on the fabric; depending on the amount of adhesive and foil deposited.

MagnaPrint® Bond 40 applied with Flock paper has excellent flexibility and stretch.

MagnaPrint® Bond 40 is suitable for printing by rotary or screen-printing.

Application

MagnaPrint® Bond 40 can be printed alone or in combination with other printing products. If used on a multi colour design the MagnaPrint® Bond 40 should be printed in the last position. It's required that an even ink deposit is printed onto the fabric to ensure that there is sufficient adhesive in contact with the foil /flock paper when lamination takes place.

After printing garment / panel should be cured, ideally for 2 minutes at 150°C (300°F) .

Foil: Pneumatic Heat Press at 165°C (330°F) for 10- 12 seconds pressure 6
Flock Papers: Pneumatic Heat Press at 165°C (330°F) for 10- 12 seconds pressure 4

Fabric should be allowed to cool before removing the foil / flock Paper. In this manner the release paper is easily removed leaving the coloured lacquer on the printed areas of the fabric.

SPECIFICATION



FABRIC TYPES
Cotton / Poly Cotton blends



MESH
32-43T (80-110) Mesh



SQUEEGEE
Medium 65° Shore
Rectangular



STENCIL
Water resistant emulsion



CURE TEMPERATURE
2 minutes at 150°C (300°F)



PIGMENT LOADING
Up to 6% MagnaPrint® Eco
Pigments



ADDITIVES
Retardant Gel, Crosslinker 100



STORAGE
In cool place properly closed: >5c (40F) <25c (77F)



HEALTH & SAFETY
MSDS available upon request



CLEAN UP
Wash off screen using water and mild detergent

All information is given in good faith but without warranty. They do not release you from testing our products as to their suitability for the intended processes and uses.



MagnaColours® Limited
Upper Cliffe Road,
Dodworth Business Park,
Barnsley, S75 3SP, UK

T: 00 44 (0) 1226 731751
F: 00 44 (0) 1226 731752
E: info@magnacolours.com
www.magnacolours.com

Company registered in
England No. 01378495,
VAT No. GB 997 3172 70