

ARLON PRINT MEDIA PRODUCTS
ARE PROUDLY DISTRIBUTED
BY NAZDAR SOURCEONE



VISIT US ONLINE
SourceOne.Nazdar.com

CALL US
888-578-5713

© 2016 Nazdar. All Rights Reserved. Specifications subject to change without notice.



ARLON



PRINT MEDIA PRODUCTS

STLIT0101 • March 2016

DPF 510

USA:  200 Boysenberry Lane, Placentia, CA 92870, USA  800 232 7161 / +1 714 985 6300  +1 800 329 2756
EUROPE:  North Sea Building, Gevers Deynootweg 93, 4th Floor, 2586BK Den Haag, The Netherlands  +31 70 354 4311  +31 70 355 7721
UK:  P6 Parklands, Heywood Distribution Park, Heywood, Lancashire OL102TT, UK  +44 161 884 0592  +31 70 355 7721

arlon.com



Wrapped in DPF 6100XLP with Series 3220 Overlaminate



Designed and Wrapped in DPF 6000XRP with Series 3220 Overlaminate by:



► **DPF 6100XLP**
Smooth Finish, Low Profile Air Egress

DPF 6100XLP is a gloss white cast film with bubble releasing, tinted, clean removing, repositionable, permanent pressure-sensitive adhesive. The LX (Low Profile) X-Scape Technology allows installers to have a speedy installation and ensure a smooth paint-like finish. Designed for large format graphics, DPF 6100XLP is made of premium quality cast facestock with a low profile liner. The adhesive system is designed to provide excellent opacity as well as easy installation. The film provides superior conformability around rivets, curves, contours and channels. DPF 6100XLP is rated for outdoor durability up to 7 years (unprinted). Printed durability is dependent on the ink system used.

For more information on DPF 6100XLP, click [here](#).

WRAPITRIGHT® VIDEO



DEEP CHANNEL INSTALLATION

Many commercial wraps include difficult applications over and around deep channels. This video shows the ideal technique for installing vinyl into channels. Using heat on the proper areas of the graphic and stretching at the right stage will ensure that your graphic will stay down.

For more videos in this series, visit www.wrapitright.com.


	DPF 6100XLP	DPF 6000XRP	DPF 4600LX	DPF 45WF
DESCRIPTION	Premium Cast Film	Premium Cast Film	Premium Wrap Film	One-Way Vision Window Film
FACE FILM THICKNESS	Cast Vinyl 2-Mil (50 Micron)	Cast Vinyl 2-Mil (50 Micron)	High Performance Vinyl 3.2-Mil (80 Micron)	Calendered Vinyl 6-Mil (150 Micron)
ADHESIVE	Clean Removing, Repositionable (Light Gray)	Clean Removing, Repositionable (Light Gray)	Clean Removing, Repositionable (Light Gray)	Clean Removing, Low Tack (Clear)
RELEASE LINER	Lay-Flat Polycoated with Low Profile X-Scape TECHNOLOGY	Lay-Flat Polycoated with X-Scape TECHNOLOGY	Lay-Flat Polycoated with Low Profile X-Scape TECHNOLOGY	Lay-Flat Polycoated
FINISH	Gloss	Gloss	Gloss	Satin
APPLICATIONS	Fleet Graphics Full Vehicle Wraps Partial Vehicle Wraps	Fleet Graphics Full Vehicle Wraps Partial Vehicle Wraps	Partial Fleet Wraps Partial Vehicle Wraps Vehicle Decals Window Graphics POP Displays	One-Way Window Graphics 60/40 Perf Pattern Vehicle Window Applications
FILM LIFE (UNPRINTED)	7 Years	7 Years	5 Years	1 Year
AVAILABLE WIDTHS	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"	30" / 54" / 60"	54" / 60"
AVAILABLE LENGTHS	50 Yards	20 Yards*, 50 Yards	50 Yards	164'
COMPATIBLE OVERLAMINATE	Series 3200 / Series 3210 Series 3220 / Series 3310	Series 3200 / Series 3210 Series 3220 / Series 3310	Series 3210 / Series 3220 Series 3310 / Series 3420♣	Series 3200
PRINTER COMPATIBILITY	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks	Eco-Solvent / Solvent UV / Latex▲

* Only available in 54" width

♣ Use on flat and simple curves only

▲ Optimal printing on HP Latex 360



Wrapped in DPF 8000 White by Jirout. Image courtesy of 

► **DPF 8000 White**
The Hard-To-Stick Surface Solution

DPF 8000 White is the ultimate premium film for hard-to-stick surfaces. A durable film combined with a high tack adhesive system allows you to use one film for all your difficult projects from plastic dirt bikes to textured wall graphics. Apply DPF 8000 White with heat on textured wall graphics and it will conform to slight contours and textures easily. Match up DPF 8000 White with one of our many overlaminate options to customize the finish of your hard-to-stick surface projects.

For more information on DPF 8000 White, click [here](#).

Certified for
HP Latex Inks

WRAPITRIGHT® VIDEO



TESTING AN EXTERIOR WALL

Exterior wall wraps can cover a variety of surface textures and coatings. Making sure a media is compatible to a particular application surface is the most important part of a wall graphic project. This video shows you the steps to guarantee that a product is the right product for your application.

For more videos in this series, visit www.wrapitright.com.



Wrapped in DPF 47WF by:
OFF THE WALL
Signs & Graphics

	DPF 8000 WHITE	DPF 47WF
DESCRIPTION	Industrial Grade Film with Adhesive for Hard-to-Stick Surfaces	One-Way Perforated Window Film
FACE FILM THICKNESS	Calendered Vinyl 3.5-Mil (90 Micron)	Calendered Vinyl 6-Mil (150 Micron)
ADHESIVE	High Tack Adhesive for Hard-to-Stick Surfaces (Clear)	Clean Removing, Low Tack (Clear)
RELEASE LINER	Lay-Flat Polycoated	Lay-Flat Polycoated
FINISH	Satin	Satin
APPLICATIONS	Wall Murals ABS Plastics Rough Surfaces Brick, Concrete & Stucco Walls	One-Way Window Graphics Building Window Graphics 70/30 Perf Pattern
FILM LIFE (UNPRINTED)	7 Years	1 Year
AVAILABLE WIDTHS	30" / 49" / 54" / 60"	54" / 60"
AVAILABLE LENGTHS	50 yards	164'
COMPATIBLE OVERLAMINATE	Series 3210 / Series 3220 Series 3420 / Series 3590	Series 3200
PRINTER COMPATIBILITY	Eco-Solvent / Solvent UV / Latex <div>Certified for HP Latex Inks</div>	Eco-Solvent / Solvent UV / Latex*

* Optimal printing on HP Latex 360



► **DPF 5200**
Premium Decorative Window Film

DPF 5200 is a premium decorative film that simulates an etched glass finish for interior or exterior applications. Available in three standard finishes, DPF 5200 is an ideal film to transform glass or clear substrates into elegant designs. Further customize graphics by printing on any of the finishes with standard digital print systems. DPF 5200 is the perfect choice for projects where a high-quality film for decorative etched glass designs is required.

For more information on DPF 5200, click [here](#).

WRAPITRIGHT® VIDEO



WET APPLICATION OF A WINDOW GRAPHIC

Window graphics are often difficult installations because they demand visual perfection. Using a wet application can help make your project picture perfect. This video demonstrates how to correctly carry out a wet application.

For more videos in this series, visit www.wrapitright.com.

	DPF 5200	DPF 4300
DESCRIPTION	Printable Etched Glass Cast Window Film	Intermediate Multi-Purpose Removable Film
FACE FILM THICKNESS	2-Mil (50 Micron)	Calendered Vinyl 3.4-Mil (86 Micron)
ADHESIVE	Permanent (Clear)	Removable (Clear)
RELEASE LINER	Lay-Flat Synthetic	Lay-Flat Polycoated
FINISH	Standard Etched Glass Silver Etched Glass Sparkle Etched Glass	Matte
APPLICATIONS	Window Graphics Mirrors Partitions Glass or Clear Substrates Interior & Exterior Applications	Painted Walls Windows Removable Vehicle Decals
FILM LIFE (UNPRINTED)	7 Years	4 Years
AVAILABLE WIDTHS	24" / 30" / 48" / 60"	54"
AVAILABLE LENGTHS	10 yards* / 50 yards	50 yards
COMPATIBLE OVERLAMINATE	N/A	Series 3200 / Series 3210 Series 3220 / Series 3420
PRINTER COMPATIBILITY	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent UV / Latex

* Only available in 48" width



► **DPF 4500GLX**
Low Cost + Low Profile Air Egress

DPF 4500GLX is an easy to install solution for your short to medium-term permanent applications. The bright white gloss finish has built in opacity to maintain the integrity of the printed graphic. Permanent adhesive with LX (Low Profile) X-Scape Technology allows for easy installation and long-term bond. DPF 4500GLX is the best value air egress vinyl for everyday sign applications.

For more information on DPF 4500GLX, click [here](#).

WRAPITRIGHT® VIDEO



UPLOADING AN ARLON MEDIA PROFILE INTO HP 300 SERIES PRINTERS

In the sign and graphics industry there are frequently asked questions about how to upload Arlon Media Profiles onto a RIP software. This video shows how to upload Arlon Media Profiles into HP 300 RIP software.

For more videos in this series, visit www.wrapitright.com.

	DPF 4500GLX* / MLX	DPF 510	DPF 210 / DPF 210PB
DESCRIPTION	Intermediate Digital Film	Calendered White Promotional Permanent Film	Roll-Up Xtreme Polyester
FACE FILM THICKNESS	Calendered Vinyl 3-Mil (75 Micron)	Calendered Vinyl 3-Mil (75 Micron)	9.8-Mil (250 Micron)
ADHESIVE	Permanent (Light Gray)	Permanent (Clear and Tinted)	N/A
RELEASE LINER	Lay-Flat Polycoated with Low Profile X-Scape TECHNOLOGY	Lay-Flat Polycoated	N/A
OPACITY	N/A	N/A	90%
FINISH	Gloss / Matte	Gloss / Matte	Satin / Pebble
APPLICATIONS	POP Displays Flat Surfaces Medium-Term Graphics	Short-Term Graphics	Indoor Advertising POP Displays Tradeshow Displays Retail Displays Roll-Up Displays
FILM LIFE (UNPRINTED)	5 Years	3 Years	1 Year
AVAILABLE WIDTHS	30" / 48" ✚ / 54" / 60"	54" / 60"	36" ▲ / 50" ▲ / 60"
AVAILABLE LENGTHS	50 yards	50 Yards	98' / 164'
COMPATIBLE OVERLAMINATE	Series 3420	Series 3510	N/A
PRINTER COMPATIBILITY	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent / Latex	Eco-Solvent / Solvent

* Formerly DPF 4500LX

✚ 48" width available for DPF 4500GLX only

▲ Pebble finish available in 36" and 50" width x 98' length only



Designed and Wrapped in DPF 6000XRP with Series 3220 Overlamine by:



Designed and Wrapped in DPF 6000XRP with Series 3220 Overlamine by: Raccoon London LTD



Wrapped in DPF 4500G White with Series 3420 Overlamine

► Series 3220

Multiple Finishes, Consistent Performance

Series 3220 overlaminates are premium cast protective films available in multiple finishes to help customize your graphics. Designed to protect and prolong the life of printed images, Series 3220 can be used on day to day signage as well as your specialty applications. Customize your images by choosing from the Gloss, Matte, Satin and Luster finishes. Regardless of the finish you select, Series 3220 offers the same performance and durability. Match up with Arlon's print media films to produce vibrant graphics.

For more information on Series 3220, click [here](#).

WRAPITRIGHT® VIDEO



HOW TO STORE VINYL ROLLS

Using the right material for the job means storing the vinyl film correctly. This video shows the key elements to storing vinyl in the right environment.

For more videos in this series, visit www.wrapitright.com.

	SERIES 3220	SERIES 3420
DESCRIPTION	Premium Cast Overlamine	Premium Calendered Overlamine
FACE FILM THICKNESS	Cast Vinyl 2-Mil (50 Micron)	Calendered Vinyl 3-Mil (75 Micron)
ADHESIVE	Permanent (Clear)	Permanent (Clear)
RELEASE LINER	Clay Coated	Clay Coated
FINISH	Gloss / Matte / Satin / Luster	Gloss / Satin / Matte
RECOMMENDED VINYL	DPF 6100XLP DPF 6000XRP DPF 4600LX DPF 8000 White DPF 4300	DPF 4600LX DPF 4500GLX / MLX DPF 4300 DPF 8000 White
FILM LIFE (UNPRINTED)	7 Years	5 Years
AVAILABLE WIDTHS	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"
AVAILABLE LENGTHS	20 yards*, 50 yards	20 yards*, 50 yards

* Available in gloss in 54" width only



► **Series 3310**
Protect, Prolong, PVC-Free Overlamine

Series 3310 is a polyurethane overlamine with a clear, permanent pressure-sensitive adhesive. The UV protective properties of the film help protect and prolong the life of printed images. Series 3310 is a multi-purpose overlamine designed to have superior conformability and extend the life of your digitally printed PVC media or your printed flexible substrate. The polyurethane film provides better clarity than other PVC overlamines to produce vivid graphics and give them a glossy finish. Series 3310 is rated for an outdoor durability of up to 10 years, and can extend the life of the graphics by 3 years.

For more information on Series 3310 click [here](#).

WRAPITRIGHT® VIDEO



**WORKING WITH
PRESSURE-SENSITIVE OVERLAMINATES**

Many sign professionals unintentionally damage their graphics by incorrectly using overlamines. Problems like this can be some of the most costly errors in the graphic production process. Make sure your most important wide format graphics and signs are protected correctly by watching this video on how to properly use vinyl overlamines.

For more videos in this series, visit www.wrapitright.com.

	SERIES 3310	SERIES 3200	SERIES 3510	SERIES 3590
DESCRIPTION	Extended Life Overlamine	High Gloss Optically Clear Cast Overlamine	Promotional Calendered Overlamine	Heavy Duty Calendered Overlamine
FACE FILM THICKNESS	Polyurethane Vinyl Film 1.5-Mil (38 Micron)	Cast Vinyl 2-Mil (50 Micron)	Calendered Vinyl 3.2-Mil (80 Micron)	Calendered Vinyl 12-Mil (305 Micron)
ADHESIVE	Permanent, Pressure-Sensitive (Clear)	Permanent (Clear)	Permanent (Clear)	Permanent (Clear)
RELEASE LINER	Clay Coated	Polyester	Polycoated Kraft Liner	Clay Coated Kraft Paper
FINISH	Gloss	Gloss	Gloss	Gloss
RECOMMENDED VINYL	Most DPF and Screenprint Films	DPF 6100XLP DPF 6000XRP DPF 45WF DPF 47WF	DPF 510	DPF 8000 White
FILM LIFE (UNPRINTED)	10 Years Vertical Exposure Up to 4 Years Horizontal Exposure	7 Years	3 Years	2 Years
AVAILABLE WIDTHS	54" / 60"	30" / 54" / 60"	54" / 60"	54" / 60"
AVAILABLE LENGTHS	50 yards	10 yards / 100 Feet* 50 yards	50 yards	10 yards* / 50 yards

* Only available in 54" width



ARLON GRAPHICS
CREATING INNOVATIVE MATERIALS FOR VISUAL EXPRESSION

Arlon, established in 1958 near Los Angeles, California, is a leading global manufacturer of pressure-sensitive adhesive vinyls for the sign and graphics industry. As one of the world’s most experienced casting companies, Arlon has gained a worldwide reputation for quality and innovation.



NAZDAR SOURCEONE
THE LEADING SUPPLIER OF EQUIPMENT, INKS & SUPPLIES

Nazdar SourceOne is the leading supplier of screen and digital printing equipment, inks and supplies. We maintain relationships with the world’s foremost manufacturers, providing best-in-class technology and quality to specialty graphic printers in the United States, Mexico and Central America. With a network of 17 locations, we deliver localized inventory, superior customer service and expert technical support to the graphic, textile and industrial markets. Learn more at SourceOne.Nazdar.com.

Visit: **WRAPITRIGHT.COM** INDUSTRY LEADING “HOW TO” VIDEOS

Powered By: **ARLON**

CATEGORY	PRODUCT	APPLICATIONS	PAGES
PREMIUM CAST FILM	DPF 6100XLP	AUTOMOTIVE	2
	DPF 6000XRP	AUTOMOTIVE	2
PREMIUM SPECIALTY FILMS	DPF 4600LX	AUTOMOTIVE	2
	DPF 8000 WHITE	BUILDING WRAPS	4
	DPF 4300	INTERIOR DÉCOR	6
WINDOW FILMS	DPF 45WF	AUTOMOTIVE	2
	DPF 47WF	BUILDING WRAPS	4
INTERMEDIATE CALENDERED FILMS	DPF 4500GLX / MLX	COMMERCIAL SIGNAGE	8
INTERIOR FILMS & PROMOTIONAL	DPF 5200	INTERIOR DÉCOR	6
	DPF 510	PROMOTIONAL	8
	DPF 210 / DPF 210PB	PROMOTIONAL	8
OVERLAMINATES	SERIES 3200	SPECIALTY OVERLAMINATES	12
	SERIES 3220	PREMIUM GRAPHIC OVERLAMINATES	10
	SERIES 3310	SPECIALTY OVERLAMINATES	12
	SERIES 3420	PREMIUM GRAPHIC OVERLAMINATES	10
	SERIES 3510	SPECIALTY OVERLAMINATES	12
	SERIES 3590	SPECIALTY OVERLAMINATES	12