

Press Wash UV USA

Product Data Sheet



Product Description

CPS Press Wash UV is part of the Green Screen range as a ink cleaner. Provides screen printers with a low evaporating press wash for on press cleaning of industrial and graphics UV inks.



Textile



Graphics



Industrial

Application

CPS Press Wash is used during printing for opening dried-in ink or for colour changes. The product is designed to evaporate quickly so that printing can be restarted without delay and it leaves no residues on the mesh.



Press Wash UV USA

Product Data Sheet

Safe Handling

CPS endorses best industry practice that operators should wear appropriate personal protective equipment (PPE) when handling all chemical products, even those classified as 'non-hazardous'. Recommended PPE for CPS Products includes gloves and safety glasses (or goggles when handling larger quantities).


CPS endorses best industry practice and manual handling of 25 and 210 litre containers should be risk assessed and suitable controls put in place. Use of mechanical handling equipment may be necessary.

Read Safety Data Sheet for full protection information.

Working Instructions



Removal of
dried ink



Wet cloth
with product



Apply to screen
with cloth



Leave for
30 seconds



Re-start
printing

Press Wash UV USA

Product Data Sheet



Certificate No. EMS 35406
BS EN ISO 14001



Certificate No. Q05870
BS EN ISO 9001:2000

Environmental Management

CPS is an ISO 14001 and ISO 9001 approved company that is committed to developing innovative chemistry for the screen printing industry that offers the best environmental and health and safety benefits that have been incorporated into our Green Screen philosophy.

Flashpoint: 106°F (41°C) Sh CC (Setaflash closed cup).
VOC/Litre: 870 grams/litre (ASTM D2369)
Evaporation rate: 3

EMISSIONS TO DRAIN

In normal use this product should not reach public sewage systems. Small or large quantities should not be allowed to enter the sewage system.

DISPOSAL

Waste product that has reached the end of its shelf life should be disposed via an authorised chemical waste handling company.

PACKAGING

Available as a ready to use product in 1 litre, 5 litre, 25 litre, 210 litre pack sizes.

CPS containers are made from high density polyethylene and the box is cardboard, all of these materials can be recycled. Consult an authorised waste handling company for advice on recycling your empty containers packaging.



Press Wash UV USA

Product Data Sheet



Green Screen Colour Code

▼

The CPS colour coded system helps identify the product being used while ensuring other cleaning chemicals do not become cross contaminated. Bringing an easily identifiable process to screen reclaim.

Shelf Life / Storage

▼

Products should be kept in original packaging and stored away from direct sunlight or UV light sources. Under the recommended storage conditions, the optimum shelf life is 2 years at a storage temperature of 0-30°C (30-90°F).



If you have any queries concerning this product please contact technical@cps.eu for more information or visit www.cps.eu.

Note – All data contained herein is based upon limited testing of pre-production material and should not be taken as representative of the eventual mass produced product.

The information and recommendations in this publication are believed to be accurate and are offered in good faith but do not constitute specifications. Suggestions concerning uses and applications are only the opinion CPS – Chemical Products and Services and users should carry out their own testing procedures to confirm suitability for their purposes. Except in the case of death or personal injury caused by the materials, CPS – Chemical Products and Services **MAKES NO WARRANTY OF ANY KIND AND EXCLUDES ANY STATUTORY WARRANTY EXPRESS OR IMPLIED** other than that materials conform to their current applicable standard specification. Statements herein therefore should not be construed as guarantees of satisfactory quality or fitness for purpose. The responsibility of CPS – Chemical Products and Services for claims arising out of breach of guarantee, negligence, strict liability or otherwise is limited to the purchase price of the material.

Suggestions concerning working practices and procedures are based on the practices adopted by existing users of the products and are made in good faith. **IT IS THE RESPONSIBILITY OF THE USER TO ENSURE THAT ALL RELEVANT HEALTH AND SAFETY LAWS AND REGULATIONS ARE COMPLIED WITH.** CPS – Chemical Products and Services does not provide any advice on such laws and regulations and accepts no responsibility, express or implied, for breach of such regulations.

Statements concerning the use of products described herein should not be construed as recommending the infringement of any patent and no liability for infringement arising out of such use is assumed

CPS - Chemical Products and Services is a division of MacDermid Autotype Limited, Grove Road, Wantage, Oxon, OX12 7BZ.

Date: February 2013