



CPS - Chemical Products and Services



Haze Remover Liquid

Haze Remover Liquid

Product Data Sheet



Product Description

CPS Haze Remover Liquid is a low viscosity ink, emulsion and diazo stain remover that has a low caustic level to ensure that the mesh isn't damaged in use. The product can be applied using a Brush or preferably a coating trough as this minimises the amount of product that is used, making the process more sustainable. Product can be activated to improve ink stain cleaning performance with CPS Activator.



Textile



Graphics



Industrial

Application

CPS Haze Remover Liquid is recommended as a safer alternative to 'traditional' high caustic haze removers. It is highly effective on a wide variety of ink stains and ghost images and extremely versatile. It can be used for 'quick' removal of ghost images (<5 minutes) or for batch processing of screens. The product will not damage the mesh even if left on overnight or for several days.





CPS - Chemical Products and Services



Haze Remover Liquid

Haze Remover Liquid

Product Data Sheet

Safe Handling



CPS endorses best industry practice that operators should wear appropriate personal protective equipment (PPE) when handling all chemical products, even those classified as 'non-hazardous'. Recommended PPE for CPS Products includes gloves and safety glasses (or goggles when handling larger quantities).


CPS endorses best industry practice and manual handling of 25 and 210 LT containers should be risk assessed and suitable controls put in place. Use of mechanical handling equipment may be necessary.

Read Safety Data Sheet for full protection information.

Working Instructions



*Should not be force -dried in excess of 35 °C as this can cause damage to the mesh





CPS - Chemical Products and Services



Haze Remover Liquid

Haze Remover Liquid

Product Data Sheet



Certificate No. EMS 35406
BS EN ISO 14001



Certificate No. Q05870
BS EN ISO 9001:2000

Environmental Management

CPS is an ISO 14001 and ISO 9001 approved company that is committed to developing innovative chemistry for the screen printing industry that offers the best environmental and health and safety benefits that have been incorporated into our Green Screen philosophy.

Flashpoint: Non-flammable
VOC/Litre: 0 grams/litre (EU) / 0 grams/litre (ASTM D2369)
pH: 12-13
Evaporation Rate: Not relevant

EMISSIONS TO DRAIN

Small quantities of this product from the washing process are permitted to enter the foul waste system, however it is recommended that you consult your local regulations and consent limits.

The emission of large quantities into the foul waste system should be avoided and you are advised to check local regulations and consent conditions.

DISPOSAL

Waste product that has reached the end of its shelf life should be disposed via an authorised chemical waste handling company.

PACKAGING

Available as a ready to use product in 1 LT, 5 LT, 25 LT & 210 LT pack sizes.

CPS containers are made from high density polyethylene and the box is cardboard, all of these materials can be recycled. Consult an authorised waste handling company for advice on recycling your empty containers packaging.





CPS - Chemical Products and Services

Haze Remover Liquid

Product Data Sheet



Green Screen Colour Code

The CPS colour coded system helps identify the product being used while ensuring other cleaning chemicals do not become cross contaminated. Bringing an easily identifiable process to screen reclaim.

Shelf Life / Storage

Products should be kept in original packaging and stored away from direct sunlight or UV light sources. Under the recommended storage conditions, the optimum shelf life is 1 year at a storage temperature of 5-20°C (40-70°F).

Do not freeze.

If you have any queries concerning this product please contact technical@cps.eu for more information or visit www.cps.eu.

Note – All data contained herein is based upon limited testing of pre-production material and should not be taken as representative of the eventual mass produced product.

The information and recommendations in this publication are believed to be accurate and are offered in good faith but do not constitute specifications. Suggestions concerning uses and applications are only the opinion of CPS – Chemical Products and Services and users should carry out their own testing procedures to confirm suitability for their purposes. Except in the case of death or personal injury caused by the materials, CPS – Chemical Products and Services MAKES NO WARRANTY OF ANY KIND AND EXCLUDES ANY STATUTORY WARRANTY EXPRESS OR IMPLIED other than that materials conform to their current applicable standard specification. Statements herein therefore should not be construed as guarantees of satisfactory quality or fitness for purpose. The responsibility of CPS – Chemical Products and Services for claims arising out of breach of guarantee, negligence, strict liability or otherwise is limited to the purchase price of the material.

Suggestions concerning working practices and procedures are based on the practices adopted by existing users of the products and are made in good faith. IT IS THE RESPONSIBILITY OF THE USER TO ENSURE THAT ALL RELEVANT HEALTH AND SAFETY LAWS AND REGULATIONS ARE COMPLIED WITH. CPS – Chemical Products and Services does not provide any advice on such laws and regulations and accepts no responsibility, express or implied, for breach of such regulations.

Statements concerning the use of products described herein should not be construed as recommending the infringement of any patent and no liability for infringement arising out of such use is assumed

CPS - Chemical Products and Services is a division of MacDermid Autotype Limited, Grove Road, Wantage, Oxon, OX12 7BZ.

Date: February 2013

