

# Nazdar 213 Series Solvent Inkjet Ink

---

**Nazdar<sup>®</sup> 213 Series Digital Imaging Inks are designed as a quality alternative to Roland Eco Xtreme i Inks (Ai3). Conveniently package in 1 litre fully compatible cartridges, they provide a great value, high performance alternative to the OEM.**

---

## Nazdar Color Compatible Digital Ink Inkjet Inks – Color Match Statement

To accurately advise users of Nazdar color compatible digital inks as to the color match capabilities of a particular ink set, Nazdar have constructed the following rating system. The aim is to substantiate our claims by quantifying our test results and providing a practical guide to achievable results.

This system gives “grade” based on the Delta E 2000\* data generated in our in-house tests. The tests are carried out on specific types of media that represent mid-range in terms of quality and price within the target market.

We have also provided comments to help interpret the grades. However, these should be used as a guide and assistance sought through our Technical Service channels if unclear. Please also be aware that there are variables\*\* that may affect results in the field.

### Results

- Nazdar Ink Type: *Nazdar 213 Series*
- OEM Ink Type: *Roland Eco Xtreme i (Ai3)*
- Printer Used: *Roland AJ1000i*
- Media Used: *Metamark MD5 Gloss Vinyl*
- RIP Used: *Roland Versa Works*
- Settings: *360 x 720 Bidirectional*
- Color Match Rating: *4*
- Additional Comments: *Increased vibrancy and gloss when compared to the OEM inks.*

### Rating Classification

Grade	Delta E 2000	Comment
5	0 - 1.4	Extremely accurate color match. Suitable for all applications including spot colors
4	1.5 - 3	Highly accurate color match. Suitable for most applications but may require a small amount of color management for some spot colors
3	3.1 - 5	Good general color set that can produce usable results for general graphics. Profiling recommended when accurate colors are required.
2	5.1 - 8	Not promoted as an accurate color match ink. Profiling necessary for most applications
1	8>	Not considered a color match. Custom profiling required for all uses.

# Nazdar 213 Series Solvent Inkjet Ink



## Test Conditions

The information in this document has been produced and collated at one of the Nazdar facilities or onsite at an official beta test site by a Nazdar employee.

Delta E 2000 readings are generated by producing IT 8 charts that read into a DTP70 or Eye One spectrophotometer. Both the OEM ink and Nazdar ink charts are produced on the same printer, using the same settings and on the same roll/batch of media.

### \*Delta E 2000

Delta E is used in testing to evaluate the difference between color produced with Nazdar inks and those of the OEM. This facilitates assessment and comparison of 873 colors and quantifies any differences. From this the average of the best 90% is used.

Delta E 2000 version of this process has been specifically selected as this gives a weighting to the gamut areas most sensitive to the human eye. Nazdar believe this allows better assessment of what users of Nazdar inks can expect in terms of printed output.

### \*\*Variables

There are several variables that can affect or alter the results found in the field that cannot be completely controlled or tested. These include but are not limited to:

- Media type
- Media batch
- Drift within OEM and/or Nazdar specification range
- Printer selection and condition
- RIP selection
- All printer settings
- Environmental conditions
- ICC profile selection

## Nazdar Quality Statement

Nazdar® stands behind the quality of this product. Nazdar® cannot, however, guarantee the finished results because Nazdar® exercises no control over individual operating and production procedures. While technical information and advice on the use of this product is provided in good faith, the user bears sole responsibility for selecting the appropriate product for their end use requirements. Users are also responsible for testing to determine that our product will perform as expected during the printed item's entire life cycle from printing, post print processing, and shipment to end use. This product has been specially formulated for digital printing, and it has not been tested by any other method. Any liability associated with the use of this product is limited to the value of the product purchased from Nazdar®.

Based on information from our raw material suppliers, these products are formulated to contain less than 0.06% lead. If exact heavy metal content is required, independent lab analysis is recommended.

# Nazdar 213 Series Solvent Inkjet Ink



## Manufacturers Product Offering

All colors listed below are available in 1 liter cartridges. Cleaning Fluid is available in 1 liter cartridges and 1 liter containers. Maintenance fluid is available in 500ml liter cartridges. Contact your Nazdar distributor for product availability and offering.

### Inks

Item Number	Color
LWS213CY	Cyan
LWS213MA	Magenta
LWS213YE	Yellow
LWS213KK	Black
LWS213LC	Light Cyan
LWS213LM	Light Magenta

### Flush

Item Number	Color
LWS213MF	213 Series Maintenance Fluid
LWS213CF	213 Series Flush Solution

## Nazdar Ink Technologies Offices Worldwide

### Nazdar Ink Technologies -World Headquarters

8501 Hedge Lane Terrace  
Shawnee, KS 66227-3290 USA  
Toll Free US: 866-340-3579  
Tel: +1 913-422-1888  
Fax: +1 913-422-2296  
E-mail: [custserv@nazdar.com](mailto:custserv@nazdar.com)  
Technical Support E-mail: [InkAnswers@Nazdar.com](mailto:InkAnswers@Nazdar.com)

### Nazdar Limited – EMEA

Barton Road, Heaton Mersey  
Stockport, England SK4 3EE  
Tel: + (44) 0-161-442-2111  
Fax: + (44) 0-161-442-2001  
UK Technical Service E-mail: [technicalservicesuk@nazdar.com](mailto:technicalservicesuk@nazdar.com)

### Nazdar – China

Room 17-04, Silver Centre  
1388, North Shan Xi Road  
Shanghai 21360 China  
Tel: 86-13818301261  
E-mail: [aspac@nazdar.com](mailto:aspac@nazdar.com)

### Nazdar – Asia Pacific

10, Changi South Street 3 #01-01  
Singapore 486147  
Tel: +65-65434920  
Fax: +65-65433690  
E-mail: [aspac@nazdar.com](mailto:aspac@nazdar.com)